

41

**GROUNDWATER MONITORING
DATA SUMMARY REPORT
FOURTH QUARTER, 1992**

**DOUGLAS AIRCRAFT COMPANY C-6 FACILITY
TORRANCE, CALIFORNIA**

**K/J 924010.00
JANUARY 1993**

Kennedy/Jenks Consultants

SCANNED

Kennedy/Jenks Consultants

**GROUNDWATER MONITORING DATA SUMMARY REPORT
FOURTH QUARTER, 1992**

**DOUGLAS AIRCRAFT COMPANY C-6 FACILITY
TORRANCE, CALIFORNIA
(K/J 924010.00)**

TABLE OF CONTENTS

<u>SECTION</u>	<u>TITLE</u>	<u>PAGE</u>
1.0	INTRODUCTION	1
2.0	QUARTERLY MONITORING PROGRAM	1
	2.1 Groundwater Sampling Procedures	1
	2.2 Field QA/QC Procedures	2
3.0	EVALUATION OF ANALYTICAL RESULTS	2
	3.1 Groundwater Gradient	2
	3.2 Analytical Data	3

LIST OF TABLES

<u>TABLE</u>	<u>TITLE</u>
1	Observation Well Construction Details
2	Cumulative Summary of Observation Well Analysis Data (EPA Method 8240)
3	Summary of Groundwater Elevation Data

TABLE OF CONTENTS (continued)

LIST OF FIGURES

<u>FIGURE</u>	<u>TITLE</u>
1	Site Vicinity Map
2	Groundwater Observation Well Locations
3	Observation Well Detected Chemical Concentrations, December 1992 Sampling Event
4	Estimated Groundwater Elevation Contour Map, Shallow Zone, January 1993 Sampling Event

APPENDICES

<u>APPENDIX</u>	<u>TITLE</u>
A	Laboratory Data Sheets
B	Groundwater Purge and Sample Forms and Water Level Elevation Summary
C	Chain-of-Custody Records

1.0 INTRODUCTION

The Douglas Aircraft Company (DAC) C-6 Facility is located at 19503 South Normandie Avenue, Torrance, California (Figure 1). Quarterly groundwater sampling is being conducted in response to the California Regional Water Quality Control Board - Los Angeles Region correspondence to DAC, dated 7 April 1992. This report summarizes laboratory analytical data generated through the chemical analysis of groundwater samples collected during the period of 7-9 December 1992, Fourth Quarter 1992.

2.0 QUARTERLY MONITORING PROGRAM

Fourth Quarter 1992 groundwater sampling was performed in accordance with standard sampling procedures. Static water level depths were measured on 7 December 1992 prior to initiating purging of groundwater from any observation wells. However, several of the water levels measurements were anomalous due an equipment malfunction. Water level measurements were repeated on 6 January 1993.

Groundwater samples were collected from the following wells and chemically analyzed for volatile organic compounds (VOCs) by EPA Method 8240:

WCC-1S, WCC-2S, WCC-3S, WCC-4S, WCC-5S, WCC-6S, WCC-7S, WCC-8S, WCC-9S, WCC-10S, WCC-11S, WCC-12S, WCC-1D, WCC-3D, and DAC-P1.

Table 1 summarizes observation well construction details. Table 2 summarizes the results of chemical analysis of groundwater samples and duplicates. Table 3 summarizes available measured groundwater elevations to date. Copies of laboratory data sheets, groundwater purge and sample forms, and Chain-of-Custody records are included in Appendices A, B, and C, respectively.

2.1 Groundwater Sampling Procedures

Prior to collecting groundwater samples from each well, groundwater was purged by using an electrical submersible pump that was temporarily installed into the observation well. After lowering the pump to the approximate mid-point of the saturated well screen, approximately three to five wetted casing volumes of groundwater were purged from the well until the following groundwater monitoring parameters had stabilized to within 10% of preceding readings: pH, electrical conductivity, temperature and clarity. Purged groundwater was stored onsite in DOT approved 55 gallon barrels pending the results of laboratory analysis of samples.

Following groundwater purging, the submersible pump was removed from the well and a representative groundwater sample was collected using a steam-cleaned stainless steel point-source bailer equipped with top and bottom ball-check valves. The bailer was lowered to the approximate mid-point of the saturated well screen interval and retrieved to ground surface. The contents of the bailer were discharged into four labelled 40-ml capacity vials and preserved with HCL.

2.2 Field QA/QC Procedures

One blind duplicate groundwater sample was collected each day from selected observation wells for Quality Control purposes. Duplicates were collected in four HCL-preserved vials and identified by inserting the collection date after "DW-". For example, a duplicate sample collected on 7 December 1992 was identified as "DW-120792". No further sample identification was provided to the laboratory.

To verify that the groundwater samples were not exposed to analytes during storage and transportation to the analytical laboratory and that decontamination of sampling equipment was satisfactory to prevent cross-contamination of groundwater samples, trip blanks and field (equipment) blanks were chemically analyzed for VOCs. One trip blank was placed in the ice-cooled storage/transportation chest when the first groundwater sample was collected, and transported to the laboratory with the day's samples. Trip blanks were identified following a similar protocol to that used for duplicate water samples. For example, a trip blank prepared on 7 December 1992 was identified as "TB-120792".

Following decontamination of the bailer by steam-cleaning, and prior to collection of groundwater samples from successive wells, a field blank was prepared for laboratory analysis. Each field blank was prepared by pouring Reagent Grade II (Milli-Que) water, prepared by the analytical laboratory, through the bailer and discharge spigot and collecting the rinsate in one 40-ml vial preserved with HCL. Field blanks were identified following a similar protocol to that used for duplicate water samples. For example, a field blank prepared on 7 December 1992 was identified as "FB-120792". The wells sampled before and after field blank preparation were recorded.

All groundwater, duplicate, trip blank and field blank samples were transported in ice-cooled chests to West Coast Analytical Services, Inc. Santa Fe Springs, California using U.S. EPA-recommended Chain-of-Custody procedures.

3.0 EVALUATION OF ANALYTICAL RESULTS

3.1 Groundwater Gradient

Groundwater levels were measured prior to sampling on 7 December 1992 or as noted above (Table 3 and Appendix B). An estimated potentiometric surface map for the shallow zone is presented as Figure 4. The groundwater gradient in the shallow zone was generally south-southeast with a southerly trough-like depression in the vicinity of observation wells WCC-7S and WCC-12S based on January 1992 measurements. Prior reports prepared by Woodward-Clyde Consultants (WCC, Phase II Report, May 1988; Phase III Report, March 1990) have indicated a generally southeast gradient direction, which is similar to current estimated conditions. Insufficient data (two wells) are available to define the groundwater gradient in the deeper zone.

3.2 Analytical Data

The results of chemical analysis of groundwater and duplicate samples are summarized on Table 2. Duplicate groundwater samples are indicated by an asterisk and are presented with the "original" groundwater sample. This table includes cumulative analytical data for all monitoring wells and includes detection limits (where available) for the listed chemicals.

The following observations are noted:

- Data for groundwater samples collected from well DAC-P1, located at the upgradient property boundary, indicate that TCE concentrations have increased from 28,000 micrograms per liter (ug/L) to 29,000 ug/L coming onto DAC's property. DAC-P1 is screened in the shallow zone.
- Background concentrations of TCE in the shallow zone upgradient well WCC-11S has decreased to 83 ug/L from 140 ug/L. TCE concentration in the upgradient well WCC-10S remained the same at 110 ug/L while the TCE concentration in well WCC-2S has increased from 110 ug/L to 140 ug/L. Only one additional chemical was detected for the first time in well WCC-6S (1,2-DCA at 80 ug/L). This is denoted by a double asterisk in table 2.
- Groundwater elevation data (Figure 4) and chemical concentration data (Figure 3) indicate that chemical transport in the shallow zone is in a generally southerly direction in the vicinity of buildings 36 and 41. Chemical concentration data from the eastern boundary observation wells (WCC-5S, WCC-9S and WCC-12S) are the same level of magnitude as upgradient "background level" wells (WCC-10S, WCC-2S). Therefore, the data do not suggest chemical migration offsite from an onsite source.
- TCE and other VOC concentrations (Table 2), in samples collected from the two deeper zone wells (WCC-1D and WCC-3D), indicate an increase in chemical concentration in WCC-3D while chemical concentrations remained relatively unchanged in well WCC-1D.
- Low concentrations of Methylene Chloride were detected in all field and travel blanks at relatively low concentrations. Methylene Chloride is most likely a laboratory contaminant.

Kennedy/Jenks Consultants

OBSERVATION WELL CONSTRUCTION DETAILS
GROUNDWATER MONITORING DATA SUMMARY REPORT
FOURTH QUARTER, 1992
DOUGLAS AIRCRAFT C-6 FACILITY
TORRANCE, CALIFORNIA
K/J 924010.00

Well	Date Constructed	Total Depth of Borehole (Feet)	Depth of Screened Interval (Feet)	Depth to top of Sand Filter Pack (Feet)	Well Casing Material and Slot Size	Hydrogeologic Unit Screened
WCC-1S ¹	03-26-87	2	91	78-88	72 Schedule 40 PVC 0.020-Inch Slots	Shallow
WCC-2S ¹	10-28-87	4	90.5	70-90	63 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-3S ¹	10-26-87	4	92.0	69-89	64 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-4S ¹	10-27-87	4	91.5	70.5-90.5	65 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-5S ¹	11-24-87	4	91	60.5-91	58.5 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-6S ²	09-22-89	4	91	60-90	N/A ³ Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-7S ²	06-08-89	4	90.5	60-90	54 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-8S ²	06-12-89	4	90	59.5-89.5	54 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-9S ²	09/21/89	4	91.5	60-90	55 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-10S ²	06-07-89	4	90.8	60-90	54 Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-11S	N/A	4	N/A	60-90(?)	N/A Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-12S	N/A	4	N/A	60-90(?)	N/A Schedule 40 PVC 0.010-Inch Slots	Shallow
DAC-P1	09-25-89	4	N/A	60-90(?)	N/A Schedule 40 PVC 0.010-Inch Slots	Shallow
WCC-1D ²	06-30-89	4	140	120-140	115 Schedule 40 PVC 0.010-Inch Slots	Deeper
WCC-3D ²	06-27-89	4	140	120-140	114 Schedule 40 PVC 0.010-Inch Slots	Deeper

Notes:

1. Data taken from Woodward-Clyde Consultants Phase II Report, May 1988
2. Data taken from Woodward-Clyde Consultants Phase III Report, March 1990
3. Not Available

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA
GROUNDWATER MONITORING DATA SUMMARY REPORT - FOURTH QUARTER 1992

Page 2 of 3

WELL I.D.	SAMPLE DATE	COMPOUNDS DETECTED BY EPA METHOD 8260 - All results are reported in ppb (cont.)											
		1,1,1-TCA	1,1-DCA	1,1,1,2-TCA	1,1,2,2-TCA	Chloroform	1,1,1,2,2-TCA	1,1,2,2,2-TCA	Chloroform	1,1,1,2,2,2-TCA	1,1,2,2,2,2-TCA	Chloroform	Total Aromatic Hydrocarbons
WEC-55	10/05/92	210	4	130	140	4	<1	41	12	21,500	<10	5	-
	11/15/92	1,350	-	3,000	1,000	7,500	<50	<50	<1	6,300	<10	<1	5
	05/17/92	5,400	-	5,100	5,900	130	10,000	20	200	2,800	50/100	<50/100	<50/100
	05/23/92	1,700	5,900	80/100	580/1,500	2,700/7,200	5,400/5,500	50/100	50/100	3,000/5,000	<10/100	100/200	<50/100
	*12/09/92	1,700	5,900	80/100	580/1,500	2,700/7,200	5,400/5,500	50/100	50/100	3,000/5,000	<10/100	100/200	<50/100
WEC-75	07/13/92	850	410	110	1,300	430	11	<10	26	-	-	-	-
	08/23/92	1,100	<50	65	1,400	<100	<30	<10	21	-	-	-	-
	11/18/92	290	-	1,100	1,100	45	-	45	45	-	-	-	-
	05/17/92	230	45	45	560	45	45	45	45	45	45	45	45
	09/23/92	140	45	45	570	45	45	45	45	45	45	45	45
	12/08/92	140	45	45	430	45	45	45	45	45	45	45	45
WEC-85	07/13/92	430	45	150	240	<10	9	45	45	7	-	-	-
	08/23/92	520	45	130	450	<10	45	45	45	45	-	-	-
	*11/15/92	2,200	2,500	<25/2,300	200	1,000	<50/100	<15/50	<25/50	<25/50	<50/100	<100	<20
	05/17/92	2,200	2,300	2,000	200	1,000	<100	20	20	20	<100	<100	<20
	09/23/92	2,200	2,300	2,000	200	1,000	<100	30	20	20	<100	<100	<20
	12/08/92	2,200	2,300	2,000	200	1,000	<100	30	20	20	<100	<100	<20
WEC-95	10/06/92	41	41	41	41	45	41	41	41	7	-	-	-
	11/19/92	-	7	45	45	45	45	45	45	45	45	45	45
	05/15/92	6	45	45	45	45	45	45	45	45	45	45	45
	12/07/92	15	45	45	45	45	45	45	45	45	45	45	45
WEC-105	*07/13/92	201	<1/1	<1/1	35/87	<1/1	3/3	<1/1	<1/1	-	-	-	-
	08/23/92	4	<1	<1	65	<1	4	<1	<1	-	-	-	-
	11/20/92	4	-	4	42	45	45	45	45	45	45	45	45
	05/15/92	10	45	45	45	45	45	45	45	45	45	45	45
	*09/23/92	5/6	<1/1	<1/1	120	<1/1	4/4	<1/1	<1/1	-	-	-	-
	12/08/92	6	<1	<1	110	<1	5	<1	<1	-	-	-	-
WEC-115	11/15/92	10	-	1	80	-	-	-	-	-	-	-	-
	05/16/92	21	45	45	120	45	45	45	45	45	45	45	45
	09/22/92	17	45	45	140	45	45	45	45	45	45	45	45
	12/08/92	12	45	45	140	45	45	45	45	45	45	45	45
WEC-125	11/18/92	300	<5/5	500	<10/10	<5/5	<1/1	<1/1	<1/1	-	-	-	-
	*08/16/92	250	<5/5	500	<10/10	<5/5	<1/1	<1/1	<1/1	-	-	-	-
	09/22/92	130	7	500	<10/10	<5/5	<1/1	<1/1	<1/1	-	-	-	-
	12/08/92	150	<5	500	<10/10	<5/5	<1/1	<1/1	<1/1	-	-	-	-

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA
GROUNDWATER MONITORING DATA SUMMARY REPORT - FOURTH QUARTER 1992

Page 3 of 3

Compounds Detected by EPA Method 8240 - All results are reported in ug/L (ppb)													
VOLL ID.	SAMPLE DATE	1,1,1-TRICHLOROETHANE			1,1,1-TRICHLOROETHANE			1,1,1-TRICHLOROETHANE			1,1,1-TRICHLOROETHANE		
		trans-1,2-DCE	MIBK	Chloroform	1,1,1-DCE	Benzene	1,1,1-DCE	Total Volatiles	Fresh-Toluene	Methylbenzene	Tetrahydrofuran	Carbon Tetrachloride	Ethylbenzene
DAC-7*	10/05/92 25/11/92 27/09/92	<200 <50 <300	<200 <50 <500	<1,000 <10 <300	<200 <50 <3,000	<200 <50 <500	<200 <10 <3,000	<1,000 <30 <3,000	<1,000 <10 <3,000	<1,000 <10 <3,000	<1,000 <10 <3,000	<1,000 <10 <3,000	
VCC-1D	07/25/92 08/23/92 11/15/92 25/22/92 27/07/92	1 1 1,500/1,300 <55/<25 160/150	1 1 65/64 180 8/150	2 2 65/64 42 21/6	45 45 <50/45 <1/1	45 45 <50/45 <1/1 <1/1	45 45 <25/<25 <1/1 <1/1	45 45 <25/<25 <1/1 <1/1	45 45 <25/<25 <1/1 <1/1	45 45 <50/<50 <1/1 <1/1	45 45 <50/<50 <1/1 <1/1	45 45 <50/<50 <1/1 <1/1	
VCC-3D	07/25/92 08/23/92 11/14/92 08/22/92 22/07/92	<10 <10 510 22 12C	<10 20 510 22 12C	45 32 860 27 5	<10 - 45 27 5	<10 - 45 27 5	<10 - 45 27 5	<10 - 45 27 5	<10 - 45 27 5	<10 - 45 27 5	<10 - 45 27 5		

Notes:

1 - Not Detected (Detection limit not specified)

2 - Duplicate sample also analyzed

3 - Compound first detected December 1992 sampling

4 - Potentially Laboratory Contamination

TABLE 2
SUMMARY OF GROUNDWATER ANALYTICAL DATA
GROUNDWATER MONITORING DATA SUMMARY REPORT - FOURTH QUARTER 1992

Page 1 of 3


WELL I.D.	SAMPLE DATE	COMPOUNDS DETECTED BY EPA METHOD 8240 - All results are reported in $\mu\text{g/L}$ (ppb)												
		1,1,1-DECA	1,1-DECA	1,1,1,1-TETRA	1,1,1,2,2-PENTA	1,1,1,2,2,2-HEXA	trans-1,2-DCE	Chloroform	Toluene	Benzene	cis-1,2-DCE	1,2-DCE	Carbon Disulfide	Ethyl-Benzene
VCC-15	03/27/87 +04/13/87 11/12/87 07/13/89 08/23/89 11/18/91 06/17/92 09/23/92 12/09/92	2,800 3,700/2,500 1,000 900 1,500 1,300 1,200 1,500 1,500	-/- 23 <20 30 <30 <50 15 <30	300 260/220 160 67 30 <30 <50 15 <30	4,600 5,500/3,800 5,200 2,400 2,600 3,200 3,400 3,400 3,100	-/- -/- -/- -/- -/- -/- -/- -/-	75 <20 <30 <30 <50 <50 <30 <30	85 110/- 150 <20 45 <20 <50 <50 <100 <100	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-
VCC-35	11/02/87 11/12/87 07/13/89 08/23/89 11/18/91 06/15/92 09/22/92 12/05/92	5 2 41 42 30 30 18/19 49/27	-/- -/- -/- -/- -/- -/- -/- -/-	5 4 5 5 8 8 45 2/2	14 4 5 5 110 100 <1/41 <1/41 110/95 140/95	-/- -/- -/- -/- -/- -/- -/- -/-	75 45 45 45 75 45 <2/-45 <2/-45 <1/41 <1/41 <1/41 <1/41 <1/41	85 35 45 45 75 45 45 6/5	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-
VCC-35	11/02/87 11/12/87 07/13/89 08/23/89 11/18/91 06/17/92 09/23/92 12/05/92	38,000 85,000 18,000 56,000 <1,000 12,000 25,000 22,000 21,000	-/- -/- -/- -/- -/- -/- -/- -/-	110,000 54,000 56,000 78,000 6,900 400 <5,000 <5,000 <5,000	10,000 11,000 7,000 6,000 7,900 13,000 12,000 7,800 5,300	54,000 70,000 43,000 55,000 <1,000 55,000 <5,000 51,000 52,000 50,000	-/- -/- -/- -/- -/- -/- -/- -/- -/-	80,000 140,000 32,000 55,200 <1,000 21,000 51,000 52,000 44,000	-/- -/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/- -/-
VCC-45	11/02/87 11/12/87 07/13/89 08/23/89 11/18/91 06/17/92 09/23/92 12/05/92	350 1,200 170 350 1,000 920 1,400 1,000	-/- -/- -/- -/- -/- -/- -/- -/-	14 11 11 7 20 <25 20 <15	700 550 270 410 2,200 1,500 1,900 1,600	-/- -/- -/- -/- -/- -/- -/- -/-	2 43 45 45 45 45 45 45	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	
VCC-45	11/02/87 11/12/87 07/13/89 08/23/89 11/18/91 06/17/92 09/23/92 12/05/92	7 4 3/3 <1/41 20 28 21 21	-/- -/- -/- -/- -/- -/- -/- -/-	10 13/12 <1/41 12 41 41 41 41	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	1 41 41 7 41 41 41 41	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-		
VCC-ES	11/30/87 01/03/88 07/13/89 08/23/89 11/18/91 06/15/92 09/21/92 12/07/92	7 4 3/3 41 20 28 21 21	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-	-/- -/- -/- -/- -/- -/- -/- -/-		

TABLE 3
SUMMARY OF GROUNDWATER ELEVATION DATA
GROUNDWATER MONITORING DATA SUMMARY REPORT
FOURTH QUARTER 1992
DOUGLAS AIRCRAFT C-6 FACILITY
TORRANCE, CALIFORNIA
K/J 924010.00

Observation Well	Reference Point ¹ Elevation (*Feet Above MSL)	Water Level Elevation (*Feet Above Mean Sea Level)				
		11/13/87 ²	10/18/89 ³	06/15/92	09/21/92	01/05/93
WCC-1S	50.70	-21.63	-19.48	-19.20	-19.42	-19.34
WCC-2S	50.59	-19.72	-19.06	-19.15	-19.41	-19.51
WCC-3S	51.19	-21.56	-19.42	-19.24	-19.52	-19.73
WCC-4S	49.69	-21.77	-19.59	-19.22	-19.49	-19.34
WCC-5S	48.22	NA ⁴	-19.70	-19.13	-19.42	-19.32
WCC-6S	50.95	NA	-19.70	-19.40	-19.64	-19.50
WCC-7S	48.29	NA	-20.07	-19.63	-19.93	-19.76
WCC-8S	50.56	NA	-19.35	-19.11	-19.34	-19.19
WCC-9S	47.01	NA	-20.07	-19.44	-19.66	-19.56
WCC-10S	51.12	NA	-18.42	-18.94	-19.33	-19.10
WCC-11S	49.97	NA	NA	-17.62	-18.81	-18.69
WCC-12S	46.92	NA	NA	-19.60	-19.90	-19.74
DAC-P1	52.44	NA	NA	-17.76	-17.88	-18.02
WCC-1D	50.45	NA	-19.51	-19.55	-19.92	-19.61
WCC-3D	51.18	NA	-19.38	-19.39	-19.71	-20.52

Notes:

- 1 Reference point is north side, top of well casing
- 2 Data taken from Woodward-Clyde Consultants Phase II Report, May 1988
- 3 Data taken from Woodward-Clyde Consultants Phase III Report, March, 1990
- 4 Not available



Kennedy/Jenks Consultants

McDonnell Douglas Corporation
DAC C6 Facility

Site Vicinity Map


January 1993
K/J/C 924010.00

Figure 1


Base Map: U.S.G.S. 7.5 Minute Topographic Map,
Torrance, California Quadrangle, 1981.

0 1,000 2,000 FEET

190 TH. ST.



190 TH. ST.



APPENDIX A

LABORATORY DATA SHEETS

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: DW12792
WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92 MATRIX: WATER
DATE EXTRACTED: 12/14/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/14/92 RUN NUMBER: 22963B4
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	1.	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	150.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	2.	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	3.	1.
71-55-6	1,1,1-TRICHLOROETHANE	160.	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	6.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	100	98	I06
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: DW12792

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/14/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B4
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: DW12892

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B5
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	27.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	2.	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	2.	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	99.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	102	99	112
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: DW12892
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B5
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: FB120792

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B6
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	2.	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	1.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	101	99	106
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: FB120792
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92 MATRIX: WATER
DATE EXTRACTED: 12/14/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/15/92 RUN NUMBER: 22963B6
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: FB120892

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B7
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	2.	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	1.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	101	99	106
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: FB120892
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B7
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: TBDAC12792

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B8
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	ND	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	97	97	109
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: TBDAC12792
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B8
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: WCC-1D-3

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/15/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B9
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLORMETHANE	1.	1.
108-41-8	CHLORTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	160.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	2.	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	2.	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	8.	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	41.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	98	98	100
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-1D-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92 MATRIX: WATER
DATE EXTRACTED: 12/14/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/15/92 RUN NUMBER: 22963B9
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: WCC-2S-3

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B30
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	6.	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	1.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	49.	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	ND	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	5.	B
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	2.	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	140.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	106	99	106
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-2S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B30
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-3D-3
 WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
 DATE EXTRACTED: 12/14/92
 DATE ANALYZED: 12/14/92
 INSTRUMENT ID: 4500

MATRIX: WATER
 SAMPLE AMOUNT: 5ML
 RUN NUMBER: 22963B1
 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	1.	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	120.	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	1.	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	3.	1.
79-00-5	1,1,2-TRICHLOROETHANE	130.	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	5.	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	102	98	100
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-3D-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/14/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B1
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: WCC-4S-3

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 500UL
RUN NUMBER: 22963B23
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	50.
71-43-2	BENZENE	ND	10.
75-27-4	BROMODICHLOROMETHANE	ND	10.
75-25-2	BROMOFORM	ND	10.
74-83-9	BROMOMETHANE	ND	50.
78-93-3	2-BUTANONE (MEK)	ND	50.
75-15-0	CARBON DISULFIDE	ND	10.
56-23-5	CARBON TETRACHLORIDE	ND	10.
108-90-7	CHLOROBENZENE	ND	10.
75-00-3	CHLOROETHANE	ND	10.
67-66-3	CHLOROFORM	ND	50.
74-87-3	CHLOROMETHANE	10.	10.
108-41-8	CHLOROTOLUENE	ND	50.
124-48-1	DIBROMOCHLOROMETHANE	ND	10.
95-50-1	1,2-DICHLOROBENZENE	ND	10.
541-73-1	1,3-DICHLOROBENZENE	ND	10.
106-46-7	1,4-DICHLOROBENZENE	ND	10.
75-34-3	1,1-DICHLOROETHANE	ND	10.
107-06-2	1,2-DICHLOROETHANE	ND	10.
75-35-4	1,1-DICHLOROETHYLENE	1000.	10.
156-59-4	CIS-1,2-DICHLOROETHYLENE	10.	10.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	10.
78-87-5	1,2-DICHLOROPROPANE	ND	10.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	10.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	10.
100-41-4	ETHYLBENZENE	ND	10.
106-93-4	ETHYLENE DIBROMIDE	ND	10.
76-13-1	FREON-TF	ND	10.
119-78-6	2-HEXANONE	ND	10.
75-09-2	METHYLENE CHLORIDE	50.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	10.
100-42-5	STYRENE	ND	50.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	10.
127-18-4	TETRACHLOROETHYLENE	ND	10.
109-99-9	TETRAHYDROFURAN	ND	10.
108-88-3	TOLUENE	ND	50.
71-55-6	1,1,1-TRICHLOROETHANE	20.	10.
79-00-5	1,1,2-TRICHLOROETHANE	ND	10.
79-01-6	TRICHLOROETHYLENE	1600.	10.
75-69-4	TRICHLOROFLUOROMETHANE	ND	10.
108-05-4	VINYL ACETATE	ND	10.
75-01-4	VINYL CHLORIDE	ND	50.
1330-20-7	TOTAL XYLENES	ND	50.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	101	99	103
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-4S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92 MATRIX: WATER
DATE EXTRACTED: 12/16/92 SAMPLE AMOUNT: 500UL
DATE ANALYZED: 12/16/92 RUN NUMBER: 22963B23
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-5S-3
 WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
 DATE EXTRACTED: 12/16/92
 DATE ANALYZED: 12/16/92
 INSTRUMENT ID: 4500

MATRIX: WATER
 SAMPLE AMOUNT: 5ML
 RUN NUMBER: 22963B19
 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	1.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	21.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	3. B	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	5.	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	100	98	104
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-5S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B19
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-7S-3
 WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
 DATE EXTRACTED: 12/17/92
 DATE ANALYZED: 12/17/92
 INSTRUMENT ID: 4500

MATRIX: WATER
 SAMPLE AMOUNT: 1ML
 RUN NUMBER: 22963B31
 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	30.
71-43-2	BENZENE	ND	5.
75-27-4	BROMODICHLOROMETHANE	ND	5.
75-25-2	BROMOFORM	ND	5.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	30.
75-15-0	CARBON DISULFIDE	ND	30.
56-23-5	CARBON TETRACHLORIDE	ND	5.
108-90-7	CHLOROBENZENE	ND	5.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	30.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	30.
124-48-1	DIBROMOCHLOROMETHANE	ND	5.
95-50-1	1,2-DICHLOROBENZENE	ND	5.
541-73-1	1,3-DICHLOROBENZENE	ND	5.
106-46-7	1,4-DICHLOROBENZENE	ND	5.
75-34-3	1,1-DICHLOROETHANE	ND	5.
107-06-2	1,2-DICHLOROETHANE	ND	5.
75-35-4	1,1-DICHLOROETHYLENE	ND	5.
156-59-4	CIS-1,2-DICHLOROETHYLENE	140.	5.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	5.
78-87-5	1,2-DICHLOROPROPANE	ND	5.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	5.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	5.
100-41-4	ETHYLBENZENE	ND	5.
106-93-4	ETHYLENE DIBROMIDE	ND	5.
76-13-1	FREON-TF	ND	5.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	ND	30.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	10. B	5.
100-42-5	STYRENE	ND	30.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	5.
127-18-4	TETRACHLOROETHYLENE	ND	5.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	30.
71-55-6	1,1,1-TRICHLOROETHANE	ND	5.
79-00-5	1,1,2-TRICHLOROETHANE	ND	5.
79-01-6	TRICHLOROETHYLENE	ND	5.
75-69-4	TRICHLOROFLUOROMETHANE	430.	5.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	30.
1330-20-7	TOTAL XYLENES	ND	30.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	98	99	105
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-7S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 1ML
RUN NUMBER: 22963B31
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1. NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: WCC-8S-3

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/18/92
DATE ANALYZED: 12/18/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 250UL
RUN NUMBER: 22963B32
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	100.
71-43-2	BENZENE	20.	20.
75-27-4	BROMODICHLOROMETHANE	ND	20.
75-25-2	BROMOFORM	ND	20.
74-83-9	BROMOMETHANE	ND	100.
78-93-3	2-BUTANONE (MEK)	ND	100.
75-15-0	CARBON DISULFIDE	20	20.
56-23-5	CARBON TETRACHLORIDE	ND	20.
108-90-7	CHLOROBENZENE	ND	20.
75-00-3	CHLOROETHANE	ND	20.
67-66-3	CHLOROFORM	ND	100.
74-87-3	CHLOROMETHANE	20.	20.
108-41-8	CHLOROTOLUENE	ND	100.
124-48-1	DIBROMOCHLOROMETHANE	ND	20.
95-50-1	1,2-DICHLOROBENZENE	ND	20.
41-73-1	1,3-DICHLOROBENZENE	ND	20.
106-46-7	1,4-DICHLOROBENZENE	ND	20.
75-34-3	1,1-DICHLOROETHANE	ND	20.
107-06-2	1,2-DICHLOROETHANE	ND	20.
75-35-4	1,1-DICHLOROETHYLENE	2000.	20.
156-59-4	CIS-1,2-DICHLOROETHYLENE	20.	20.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	30.	20.
78-87-5	1,2-DICHLOROPROPANE	ND	20.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	20.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	20.
100-41-4	ETHYLBENZENE	ND	20.
106-93-4	ETHYLENE DIBROMIDE	ND	20.
76-13-1	FREON-TF	ND	20.
119-78-6	2-HEXANONE	ND	100.
75-09-2	METHYLENE CHLORIDE	30.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	20.
100-42-5	STYRENE	ND	100.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	20.
127-18-4	TETRACHLOROETHYLENE	ND	20.
109-99-9	TETRAHYDROFURAN	ND	20.
108-88-3	TOLUENE	ND	100.
71-55-6	1,1,1-TRICHLOROETHANE	ND	20.
79-00-5	1,1,2-TRICHLOROETHANE	100.	20.
79-01-6	TRICHLOROETHYLENE	ND	20.
75-69-4	TRICHLOROFLUOROMETHANE	2500.	20.
108-05-4	VINYL ACETATE	ND	20.
75-01-4	VINYL CHLORIDE	ND	100.
1330-20-7	TOTAL XYLENES	ND	100.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	103	98	107
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-8S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92 MATRIX: WATER
DATE EXTRACTED: 12/18/92 SAMPLE AMOUNT: 250UL
DATE ANALYZED: 12/18/92 RUN NUMBER: 22963B32
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: WCC-9S-3

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B22
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	12.	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	10.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	3.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,,,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	51.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	99	98	105
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-9S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B22
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-10S-3
WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B29
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	5.	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	8.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	3.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	110.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLEMES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	104	99	104
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-10S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B29
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-11S-3
 WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
 DATE EXTRACTED: 12/16/92
 DATE ANALYZED: 12/16/92
 INSTRUMENT ID: 4500

MATRIX: WATER
 SAMPLE AMOUNT: 5ML
 RUN NUMBER: 22963B28
 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	13.	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	6.	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	4.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	83.	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	106	98	104
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-11S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22963B28
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-12S-3
 WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/08/92
 DATE EXTRACTED: 12/16/92
 DATE ANALYZED: 12/16/92
 INSTRUMENT ID: 4500

MATRIX: WATER
 SAMPLE AMOUNT: 1ML
 RUN NUMBER: 22963B26
 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	30.
71-43-2	BENZENE	ND	5.
75-27-4	BROMODICHLOROMETHANE	ND	5.
75-25-2	BROMOFORM	ND	5.
74-83-9	BROMOMETHANE	ND	30.
78-93-3	2-BUTANONE (MEK)	ND	30.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	5.
108-90-7	CHLOROBENZENE	ND	5.
75-00-3	CHLOROETHANE	ND	30.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	30.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	5.
95-50-1	1,2-DICHLOROBENZENE	ND	5.
541-73-1	1,3-DICHLOROBENZENE	ND	5.
106-46-7	1,4-DICHLOROBENZENE	ND	5.
75-34-3	1,1-DICHLOROETHANE	ND	5.
107-06-2	1,2-DICHLOROETHANE	ND	5.
75-35-4	1,1-DICHLOROETHYLENE	160.	5.
156-59-4	CIS-1,2-DICHLOROETHYLENE	5.	5.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	5.
78-87-5	1,2-DICHLOROPROPANE	ND	5.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	5.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	5.
100-41-4	ETHYLBENZENE	ND	5.
106-93-4	ETHYLENE DIBROMIDE	ND	5.
76-13-1	FREON-TF	ND	5.
119-78-6	2-HEXANONE	ND	30.
75-09-2	METHYLENE CHLORIDE	20.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	30.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	5.
127-18-4	TETRACHLOROETHYLENE	ND	5.
109-99-9	TETRAHYDROFURAN	ND	30.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	5.
79-00-5	1,1,2-TRICHLOROETHANE	ND	5.
79-01-6	TRICHLOROETHYLENE	550.	5.
75-69-4	TRICHLOROFLUOROMETHANE	ND	5.
108-05-4	VINYL ACETATE	ND	30.
75-01-4	VINYL CHLORIDE	ND.	30.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	102	99	103
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-12S-3
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/08/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 1ML
RUN NUMBER: 22963B26
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/14/92
DATE EXTRACTED: 12/14/92
DATE ANALYZED: 12/14/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK443
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	ND	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	1.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	102	99	107
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/14/92 MATRIX: WATER
DATE EXTRACTED: 12/14/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/14/92 RUN NUMBER: VBLK443
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: LAB BLANK

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/16/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK446
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	1.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	2.	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	1.
PERCENT RECOVERY	102	99	107
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/16/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK446
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22963

SAMPLE: LAB BLANK

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/17/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK448
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	2.	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	100	98	106
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/17/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK448
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: WOODWARD-CLYDE CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22963

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/18/92
DATE EXTRACTED: 12/18/92
DATE ANALYZED: 12/18/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK450
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	1.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	ND	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	99	101	102
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: WOODWARD-CLYDE CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22963

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/18/92
DATE EXTRACTED: 12/18/92
DATE ANALYZED: 12/18/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK450
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

WEST COAST ANALYTICAL SERVICE, INC.

KENNEDY/JENKS CONSULTANTS
Mr. Joseph MontoyaJob # 22963
December 22, 1992

LABORATORY REPORT

MATRIX SPIKE/MATRIX SPIKE DUPLICATE
PERCENT RECOVERY AND RPD SUMMARY

SAMPLE ID: WCC-3D-3

MATRIX: WATER

UNITS: UG/L (PPB)

VOLATILE COMPOUNDS

COMPOUND	CONC SPIKED	CONC SAMPLE	CONC MS	% REC MS	CONC MSD	% REC MSD	RPD
1,1-DICHLOROETHYLENE	50.0	117.1	173.0	112	172.0	110	1
TRICHLOROETHYLENE	50.0	5.0	52.8	96	50.0	90	5
CHLOROBENZENE	50.0	ND	52.3	105	51.3	103	2
TOLUENE	50.0	2.7	50.3	95	48.5	92	4
BENZENE	50.0	ND	45.2	90	44.9	90	1

WATER QUALITY CONTROL LIMITS

ANALYTE	% RECOVERY		RPD	
	WARNING	CONTROL	WARNING	CONTROL
1,1-DICHLOROETHYLENE	52-155	25-182	24	36
TRICHLOROETHYLENE	59-120	44-135	13	18
CHLOROBENZENE	82-109	75-115	10	15
TOLUENE	80-116	71-125	13	19
BENZENE	73-125	60-138	14	19

Date Analyzed: 12/16/92

KENNEDY/JENKS CONSULTANTS
Mr. Joseph Montoya

Job # 22963
December 22, 1992

LABORATORY REPORT

MATRIX SPIKE/MATRIX SPIKE DUPLICATE
PERCENT RECOVERY AND RPD SUMMARY

SAMPLE ID: WCC-5S-3

MATRIX: WATER

UNITS: UG/L (PPB)

VOLATILE COMPOUNDS

COMPOUND	CONC SPIKED	CONC SAMPLE	CONC MS	% REC MS	CONC MSD	% REC MSD	RPD
1,1-DICHLOROETHYLENE	50.0	21.5	59.4	76	58.6	74	1
TRICHLOROETHYLENE	50.0	4.8	49.0	88	49.3	89	-1
CHLOROBENZENE	50.0	ND	49.3	99	50.2	100	-2
TOLUENE	50.0	ND	48.5	97	49.3	99	-2
BENZENE	50.0	ND	41.8	84	41.8	84	0

WATER QUALITY CONTROL LIMITS

ANALYTE	% RECOVERY		RPD	
	WARNING	CONTROL	WARNING	CONTROL
1,1-DICHLOROETHYLENE	52-155	25-182	24	36
TRICHLOROETHYLENE	59-120	44-135	13	18
CHLOROBENZENE	82-109	75-115	10	15
TOLUENE	80-116	71-125	13	19
BENZENE	73-125	60-138	14	19

Date Analyzed: 12/16/92

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: DAC-P1
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 10UL
RUN NUMBER: 22975B7
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	3000.
71-43-2	BENZENE	ND	500.
75-27-4	BROMODICHLOROMETHANE	ND	500.
75-25-2	BROMOFORM	ND	500.
74-83-9	BROMOMETHANE	ND	3000.
78-93-3	2-BUTANONE (MEK)	ND	3000.
75-15-0	CARBON DISULFIDE	ND	500.
56-23-5	CARBON TETRACHLORIDE	ND	500.
108-90-7	CHLOROBENZENE	ND	500.
75-00-3	CHLOROETHANE	ND	3000.
67-66-3	CHLOROFORM	ND	500.
74-87-3	CHLOROMETHANE	ND	3000.
108-41-8	CHLOROTOLUENE	ND	500.
124-48-1	DIBROMOCHLOROMETHANE	ND	500.
95-50-1	1,2-DICHLOROBENZENE	ND	500.
541-73-1	1,3-DICHLOROBENZENE	ND	500.
106-46-7	1,4-DICHLOROBENZENE	ND	500.
75-34-3	1,1-DICHLOROETHANE	ND	500.
107-06-2	1,2-DICHLOROETHANE	ND	500.
75-35-4	1,1-DICHLOROETHYLENE	ND	500.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	500.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	500.
78-87-5	1,2-DICHLOROPROPANE	ND	500.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	500.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	500.
100-41-4	ETHYLBENZENE	ND	500.
106-93-4	ETHYLENE DIBROMIDE	ND	500.
76-13-1	FREON-TF	ND	500.
119-78-6	2-HEXANONE	ND	3000.
75-09-2	METHYLENE CHLORIDE	2000.	B 500.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	3000.
100-42-5	STYRENE	ND	500.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	500.
127-18-4	TETRACHLOROETHYLENE	ND	500.
109-99-9	TETRAHYDROFURAN	ND	3000.
108-88-3	TOLUENE	ND	500.
71-55-6	1,1,1-TRICHLOROETHANE	ND	500.
79-00-5	1,1,2-TRICHLOROETHANE	ND	500.
79-01-6	TRICHLOROETHYLENE	29000.	500.
75-69-4	TRICHLOROFLUOROMETHANE	ND	500.
108-05-4	VINYL ACETATE	ND	3000.
75-01-4	VINYL CHLORIDE	ND	3000.
1330-20-7	TOTAL XYLENES	ND	500.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	95	99	104
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: DAC-P1
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92 MATRIX: WATER
DATE EXTRACTED: 12/16/92 SAMPLE AMOUNT: 10UL
DATE ANALYZED: 12/16/92 RUN NUMBER: 22975B7
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: DW12992
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 50UL
RUN NUMBER: 22975B17
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	500.
71-43-2	BENZENE	ND	100.
75-27-4	BROMODICHLOROMETHANE	ND	100.
75-25-2	BROMOFORM	ND	100.
74-83-9	BROMOMETHANE	ND	500.
78-93-3	2-BUTANONE (MEK)	5000.	500.
75-15-0	CARBON DISULFIDE	ND	100.
56-23-5	CARBON TETRACHLORIDE	ND	100.
108-90-7	CHLOROBENZENE	ND	100.
75-00-3	CHLOROETHANE	ND	500.
67-66-3	CHLOROFORM	ND	100.
74-87-3	CHLOROMETHANE	ND	500.
108-41-8	CHLOROTOLUENE	ND	100.
124-48-1	DIBROMOCHLOROMETHANE	ND	100.
95-50-1	1,2-DICHLOROBENZENE	ND	100.
541-73-1	1,3-DICHLOROBENZENE	ND	100.
106-46-7	1,4-DICHLOROBENZENE	ND	100.
75-34-3	1,1-DICHLOROETHANE	ND	100.
107-06-2	1,2-DICHLOROETHANE	ND	100.
75-35-4	1,1-DICHLOROETHYLENE	5600.	100.
156-59-4	CIS-1,2-DICHLOROETHYLENE	200.	100.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	200.	100.
78-87-5	1,2-DICHLOROPROPANE	ND	100.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	100.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	100.
100-41-4	ETHYLBENZENE	ND	100.
106-93-4	ETHYLENE DIBROMIDE	ND	100.
76-13-1	FREON-TF	ND	100.
119-78-6	2-HEXANONE	ND	500.
75-09-2	METHYLENE CHLORIDE	200.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	500.
100-42-5	STYRENE	ND	100.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	100.
127-18-4	TETRACHLOROETHYLENE	ND	100.
109-99-9	TETRAHYDROFURAN	ND	500.
108-88-3	TOLUENE	10000.	100.
71-55-6	1,1,1-TRICHLOROETHANE	1400.	100.
79-00-5	1,1,2-TRICHLOROETHANE	ND	100.
79-01-6	TRICHLOROETHYLENE	3200.	100.
75-69-4	TRICHLOROFLUOROMETHANE	ND	100.
108-05-4	VINYL ACETATE	ND	500.
75-01-4	VINYL CHLORIDE	ND	500.
1330-20-7	TOTAL XYLENES	ND	100.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	100	100	107
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: DW12992
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 50UL
RUN NUMBER: 22975B17
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: FB12992
 WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
 DATE EXTRACTED: 12/17/92
 DATE ANALYZED: 12/17/92
 INSTRUMENT ID: 4500

MATRIX: WATER
 SAMPLE AMOUNT: 5ML
 RUN NUMBER: 22975B18
 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	4.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	1.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	101	100	104
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: FB12992
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22975B18
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: TB12992
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: 22975B19
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	1.
74-87-3	CHLOROMETHANE	ND	5.
108-41-8	CHLOROTOLUENE	ND	1.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	4.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	1.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLEMES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	103	100	104
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: TB12992
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92 MATRIX: WATER
DATE EXTRACTED: 12/17/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/17/92 RUN NUMBER: 22975B19
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-1S-3
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/18/92
DATE ANALYZED: 12/18/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 200UL
RUN NUMBER: 22975B25
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	100.
71-43-2	BENZENE	30.	30.
75-27-4	BROMODICHLOROMETHANE	ND	30.
75-25-2	BROMOFORM	ND	30.
74-83-9	BROMOMETHANE	ND	100.
78-93-3	2-BUTANONE (MEK)	ND	100.
75-15-0	CARBON DISULFIDE	ND	30.
56-23-5	CARBON TETRACHLORIDE	ND	30.
108-90-7	CHLOROBENZENE	ND	30.
75-00-3	CHLOROETHANE	ND	30.
67-66-3	CHLOROFORM	ND	100.
74-87-3	CHLOROMETHANE	ND	30.
108-41-8	CHLOROTOLUENE	ND	100.
124-48-1	DIBROMOCHLOROMETHANE	ND	30.
95-50-1	1,2-DICHLOROBENZENE	ND	30.
541-73-1	1,3-DICHLOROBENZENE	ND	30.
106-46-7	1,4-DICHLOROBENZENE	ND	30.
75-34-3	1,1-DICHLOROETHANE	ND	30.
107-06-2	1,2-DICHLOROETHANE	ND	30.
75-35-4	1,1-DICHLOROETHYLENE	ND	30.
156-59-4	CIS-1,2-DICHLOROETHYLENE	1500.	30.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	30.
78-87-5	1,2-DICHLOROPROPANE	ND	30.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	30.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	30.
100-41-4	ETHYLBENZENE	ND	30.
106-93-4	ETHYLENE DIBROMIDE	ND	30.
76-13-1	FREON-TF	ND	30.
119-78-6	2-HEXANONE	ND	30.
75-09-2	METHYLENE CHLORIDE	ND	100.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	40.	B
100-42-5	STYRENE	ND	30.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	100.
127-18-4	TETRACHLOROETHYLENE	ND	30.
109-99-9	TETRAHYDROFURAN	ND	30.
108-88-3	TOLUENE	ND	100.
71-55-6	1,1,1-TRICHLOROETHANE	ND	30.
79-00-5	1,1,2-TRICHLOROETHANE	ND	30.
79-01-6	TRICHLOROETHYLENE	ND	30.
75-69-4	TRICHLOROFLUOROMETHANE	3100.	30.
108-05-4	VINYL ACETATE	ND	30.
75-01-4	VINYL CHLORIDE	ND	100.
1330-20-7	TOTAL XYLENES	ND	100.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	101	100	98
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-1S-3
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92 MATRIX: WATER
DATE EXTRACTED: 12/18/92 SAMPLE AMOUNT: 200UL
DATE ANALYZED: 12/18/92 RUN NUMBER: 22975B25
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22975

SAMPLE: WCC-3S-3

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/21/92
DATE ANALYZED: 12/21/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 10UL
RUN NUMBER: 22975B28
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	3000.
71-43-2	BENZENE	ND	500.
75-27-4	BROMODICHLOROMETHANE	ND	500.
75-25-2	BROMOFORM	ND	500.
74-83-9	BROMOMETHANE	ND	500.
78-93-3	2-BUTANONE (MEK)	4000.	3000.
75-15-0	CARBON DISULFIDE	ND	500.
56-23-5	CARBON TETRACHLORIDE	ND	500.
108-90-7	CHLOROBENZENE	ND	500.
75-00-3	CHLOROETHANE	ND	3000.
67-66-3	CHLOROFORM	ND	500.
74-87-3	CHLOROMETHANE	ND	3000.
108-41-8	CHLORTOLUENE	ND	500.
124-48-1	DIBROMOCHLOROMETHANE	ND	500.
95-50-1	1,2-DICHLOROBENZENE	ND	500.
541-73-1	1,3-DICHLOROBENZENE	ND	500.
106-46-7	1,4-DICHLOROBENZENE	ND	500.
75-34-3	1,1-DICHLOROETHANE	ND	500.
107-06-2	1,2-DICHLOROETHANE	ND	500.
75-35-4	1,1-DICHLOROETHYLENE	21000.	500.
156-59-4	CIS-1,2-DICHLOROETHYLENE	700.	500.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	600.	500.
78-87-5	1,2-DICHLOROPROPANE	ND	500.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	500.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	500.
100-41-4	ETHYLBENZENE	ND	500.
106-93-4	ETHYLENE DIBROMIDE	ND	500.
76-13-1	FREON-TF	ND	500.
119-78-6	2-HEXANONE	ND	3000.
75-09-2	METHYLENE CHLORIDE	ND	500.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	90000.	3000.
100-42-5	STYRENE	ND	500.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	500.
127-18-4	TETRACHLOROETHYLENE	ND	500.
109-99-9	TETRAHYDROFURAN	ND	3000.
108-88-3	TOLUENE	44000.	500.
71-55-6	1,1,1-TRICHLOROETHANE	5600.	500.
79-00-5	1,1,2-TRICHLOROETHANE	ND	500.
79-01-6	TRICHLOROETHYLENE	11000.	500.
75-69-4	TRICHLOROFLUOROMETHANE	ND	500.
108-05-4	VINYL ACETATE	ND	3000.
75-01-4	VINYL CHLORIDE	ND	3000.
1330-20-7	TOTAL XYLENES	ND	500.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	101	99	99
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-3S-3
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92 MATRIX: WATER
DATE EXTRACTED: 12/21/92 SAMPLE AMOUNT: 10UL
DATE ANALYZED: 12/21/92 RUN NUMBER: 22975B28
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-6S-3
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/10/92
DATE EXTRACTED: 12/18/92
DATE ANALYZED: 12/18/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 100UL
RUN NUMBER: 22975B27
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	300.
71-43-2	BENZENE	80.	50.
75-27-4	BROMODICHLOROMETHANE	ND	50.
75-25-2	BROMOFORM	ND	50.
74-83-9	BROMOMETHANE	ND	300.
78-93-3	2-BUTANONE (MEK)	2000.	300.
75-15-0	CARBON DISULFIDE	ND	50.
56-23-5	CARBON TETRACHLORIDE	ND	50.
108-90-7	CHLOROBENZENE	ND	50.
75-00-3	CHLOROETHANE	ND	300.
67-66-3	CHLOROFORM	ND	50.
74-87-3	CHLOROMETHANE	ND	300.
108-41-8	CHLOROTOLUENE	ND	50.
124-48-1	DIBROMOCHLOROMETHANE	ND	50.
95-50-1	1,2-DICHLOROBENZENE	ND	50.
541-73-1	1,3-DICHLOROBENZENE	ND	50.
106-46-7	1,4-DICHLOROBENZENE	ND	50.
75-34-3	1,1-DICHLOROETHANE	80.	50.
107-06-2	1,2-DICHLOROETHANE	80.	50.
75-35-4	1,1-DICHLOROETHYLENE	3700.	50.
156-59-4	CIS-1,2-DICHLOROETHYLENE	200.	50.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	100.	50.
78-87-5	1,2-DICHLOROPROPANE	ND	50.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	50.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	50.
100-41-4	ETHYLBENZENE	ND	50.
106-93-4	ETHYLENE DIBROMIDE	ND	50.
76-13-1	FREON-TF	ND	50.
119-78-6	2-HEXANONE	ND	300.
75-09-2	METHYLENE CHLORIDE	100.	B
108-10-1	4-METHYL-2-PENTANONE (MIBK)	3400.	300.
100-42-5	STYRENE	ND	50.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	50.
127-18-4	TETRACHLOROETHYLENE	ND	50.
109-99-9	TETRAHYDROFURAN	ND	50.
108-88-3	TOLUENE	5000.	50.
71-55-6	1,1,1-TRICHLOROETHANE	680.	50.
79-00-5	1,1,2-TRICHLOROETHANE	60.	50.
79-01-6	TRICHLOROETHYLENE	2700.	50.
75-69-4	TRICHLOROFLUOROMETHANE	ND	50.
108-05-4	VINYL ACETATE	ND	300.
75-01-4	VINYL CHLORIDE	ND	300.
1330-20-7	TOTAL XYLENES	ND	50.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	98	101	106
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: WCC-6S-3
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/10/92 MATRIX: WATER
DATE EXTRACTED: 12/18/92 SAMPLE AMOUNT: 100UL
DATE ANALYZED: 12/18/92 RUN NUMBER: 22975B27
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22975

SAMPLE: LAB BLANK

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/16/92
DATE EXTRACTED: 12/16/92
DATE ANALYZED: 12/16/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK447
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	3.	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	97	99	98
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/16/92 MATRIX: WATER
DATE EXTRACTED: 12/16/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/16/92 RUN NUMBER: VBLK447
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22975

SAMPLE: LAB BLANK

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/17/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK448
UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	1.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	1.
75-09-2	METHYLENE CHLORIDE	ND	5.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	1.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLEMES	ND	5.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	100	98	106
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS
WCAS JOB #: 22975

SAMPLE: LAB BLANK

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/17/92
DATE EXTRACTED: 12/17/92
DATE ANALYZED: 12/17/92
INSTRUMENT ID: 4500

MATRIX: WATER
SAMPLE AMOUNT: 5ML
RUN NUMBER: VBLK448
UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED:	12/18/92	MATRIX:	WATER
DATE EXTRACTED:	12/18/92	SAMPLE AMOUNT:	5ML
DATE ANALYZED:	12/18/92	RUN NUMBER:	VBLK450
INSTRUMENT ID:	4500	UNITS:	UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	5.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	5.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	1.
67-66-3	CHLOROFORM	ND	5.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE	1.	1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	5.
100-42-5	STYRENE	ND	1.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	5.
108-88-3	TOLUENE	ND	1.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	99	101	1Q2
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/18/92 MATRIX: WATER
DATE EXTRACTED: 12/18/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/18/92 RUN NUMBER: VBLK450
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

RECORDED

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22975

VOLATILE ORGANICS BY EPA 624/8240

DATE RECEIVED: 12/21/92 MATRIX: WATER
DATE EXTRACTED: 12/21/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/21/92 RUN NUMBER: VBLK451
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

CAS NO.	COMPOUND	CONCENTRATION	DET LIMIT
67-64-1	ACETONE	ND	5.
71-43-2	BENZENE	ND	1.
75-27-4	BROMODICHLOROMETHANE	ND	1.
75-25-2	BROMOFORM	ND	1.
74-83-9	BROMOMETHANE	ND	1.
78-93-3	2-BUTANONE (MEK)	ND	5.
75-15-0	CARBON DISULFIDE	ND	1.
56-23-5	CARBON TETRACHLORIDE	ND	1.
108-90-7	CHLOROBENZENE	ND	1.
75-00-3	CHLOROETHANE	ND	5.
67-66-3	CHLOROFORM	ND	1.
74-87-3	CHLOROMETHANE	ND	1.
108-41-8	CHLOROTOLUENE	ND	5.
124-48-1	DIBROMOCHLOROMETHANE	ND	1.
95-50-1	1,2-DICHLOROBENZENE	ND	1.
541-73-1	1,3-DICHLOROBENZENE	ND	1.
106-46-7	1,4-DICHLOROBENZENE	ND	1.
75-34-3	1,1-DICHLOROETHANE	ND	1.
107-06-2	1,2-DICHLOROETHANE	ND	1.
75-35-4	1,1-DICHLOROETHYLENE	ND	1.
156-59-4	CIS-1,2-DICHLOROETHYLENE	ND	1.
156-60-5	TRANS-1,2-DICHLOROETHYLENE	ND	1.
78-87-5	1,2-DICHLOROPROPANE	ND	1.
10061-01-5	CIS-1,3-DICHLOROPROPENE	ND	1.
10061-02-6	TRANS-1,3-DICHLOROPROPENE	ND	1.
100-41-4	ETHYLBENZENE	ND	1.
106-93-4	ETHYLENE DIBROMIDE	ND	1.
76-13-1	FREON-TF	ND	1.
119-78-6	2-HEXANONE	ND	5.
75-09-2	METHYLENE CHLORIDE		1.
108-10-1	4-METHYL-2-PENTANONE (MIBK)	ND	1.
100-42-5	STYRENE	ND	5.
79-34-5	1,1,2,2-TETRACHLOROETHANE	ND	1.
127-18-4	TETRACHLOROETHYLENE	ND	1.
109-99-9	TETRAHYDROFURAN	ND	1.
108-88-3	TOLUENE	ND	5.
71-55-6	1,1,1-TRICHLOROETHANE	ND	1.
79-00-5	1,1,2-TRICHLOROETHANE	ND	1.
79-01-6	TRICHLOROETHYLENE	ND	1.
75-69-4	TRICHLOROFLUOROMETHANE	ND	1.
108-05-4	VINYL ACETATE	ND	5.
75-01-4	VINYL CHLORIDE	ND	5.
1330-20-7	TOTAL XYLENES	ND	1.
SURROGATE	1,2-DCA-d4	TOL-d8	BFB
PERCENT RECOVERY	102	100	103
CONTROL LIMITS	86-121	84-115	83-112

CLIENT: KENNEDY/JENKS CONSULTANTS SAMPLE: LAB BLANK
WCAS JOB #: 22975

TENTATIVELY IDENTIFIED COMPOUNDS

DATE RECEIVED: 12/21/92 MATRIX: WATER
DATE EXTRACTED: 12/21/92 SAMPLE AMOUNT: 5ML
DATE ANALYZED: 12/21/92 RUN NUMBER: VBLK451
INSTRUMENT ID: 4500 UNITS: UG/L (PPB)

COMPOUND NAME	FRACTION	APPROXIMATE CONCENTRATION
1 NONE FOUND	VOA	

WEST COAST ANALYTICAL SERVICE, INC.

KENNEDY/JENKS CONSULTANTS
Mr. Joseph MontoyaJob # 22975
December 22, 1992

LABORATORY REPORT

MATRIX SPIKE/MATRIX SPIKE DUPLICATE
PERCENT RECOVERY AND RPD SUMMARY

QC BATCH: 121692W

: WATER

UNITS: UG/L (PPB)

VOLATILE COMPOUNDS

COMPOUND	CONC SPIKED	CONC SAMPLE	CONC MS	% REC MS	CONC MSD	% REC MSD	RPD
1,1-DICHLOROETHYLENE	50.0	21.5	59.4	76	58.6	74	1
TRICHLOROETHYLENE	50.0	4.8	49.0	88	49.3	89	-1
CHLOROBENZENE	50.0	ND	49.3	99	50.2	100	-2
TOLUENE	50.0	ND	48.5	97	49.3	99	-2
BENZENE	50.0	ND	41.8	84	41.8	84	0

WATER QUALITY CONTROL LIMITS

ANALYTE	% RECOVERY		RPD	
	WARNING	CONTROL	WARNING	CONTROL
1,1-DICHLOROETHYLENE	52-155	25-182	24	36
TRICHLOROETHYLENE	59-120	44-135	13	18
CHLOROBENZENE	82-109	75-115	10	15
TOLUENE	80-116	71-125	13	19
BENZENE	73-125	60-138	14	19

Date Analyzed: 12/16/92

Abbreviations Summary

General Reporting Abbreviations:

- B Blank - Indicates that the compound was found in both the sample and the blank. The sample value is reported without blank subtraction. If the sample value is less than 10X the blank value times the sample dilution factor, the compound may be present as a laboratory contaminant.
- D Indicates that the sample was diluted, and consequently the surrogates were too dilute to accurately measure.
- DL Detection Limit - Is the minimum value which we believe can be detected in the sample with a high degree of confidence, taking into account dilution factors and interferences. The reported detection limits are equal to or greater than Method Detection Limits (MDL) to allow for day to day and instrument to instrument variations in sensitivity.
- J Indicates that the value is an estimate.
- ND Not Detected - Indicates that the compound was not found in the sample at or above the detection limit.
- ppm parts per million (billion) in liquids is usually equivalent to mg/l (ug/l), or in solids to mg/kg (ug/kg). In the gas phase it is equivalent to ul/l (ul/m³).
- ppb
- TR Trace - Indicates that the compound was observed at a value less than our normal reported Detection Limit (DL), but we feel its presence may be important to you. These values are subject to large errors and low degrees of confidence.

kg kilogram	mg milligram	l liter	m meter
g gram	ug microgram	ul microliter	

QC Abbreviations:

- Control Control Limits are determined from historical data for a QC parameter. The test value must be within this acceptable range for the test to be considered in control. Usually this range corresponds to the 99% confidence interval for the historical data.
- % Error Percent Error - This is a measure of accuracy based on the analysis of a Laboratory Control Standard (LCS). An LCS is a reference sample of known value such as an NIST Standard Reference Material (SRM). The % Error is expressed in percent as the difference between the known value and the experimental value, divided by the known value. The LCS may simply be a solution based standard which confirms calibration (ICV or CCV - initial or continuing calibration verification), or it may be a reference sample taken through preparation and analysis.

APPENDIX B

GROUNDWATER PURGE AND SAMPLE FORMS

WATER ELEVATION SUMMARY

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-7-42-

Well Number WCC-31 Well Depth 140 Well Diameter 4" Casing Material PVC

Sampling Crew MLW, _____, _____, _____, _____

Type of Pump 2" Submersible Sampler SS bailer

Weather Conditions RAIN

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (uS)	Clarity
0536	71.70	—	—	—	—	—	8.1	<7	—
1105	—	—	5	—	—	20	8.56	790	Silky
0829	—	—	10	—	—	22	8.39	700	Sl. Silky
1225	—	—	15	—	—	21	8.04	670	"
1228	—	—	25	—	—	21	7.66	670	"
1232	—	—	40	—	—	21	7.76	670	Clear
1235	—	—	55	—	—	22	7.87	660	"
1237	—	—	70	—	—	22	7.92	640	"
1240	—	—	80	—	—	22	7.96	660	"
1243	—	—	95	—	—	22	8.05	660	"
1246	—	—	110	—	—	22	8.04	650	"
1249	—	—	130	—	—	22	8.07	650	"
1255	—	—	140	—	—	22	8.07	650	"
L	71.93	—	—	—	Air Monitor <1	—	—	—	—

$$3 \text{ Well Volumes} = 140 \text{ gal} \quad (140 - 71.70) \times 0.65 \times 3 = 133.2 \text{ gal.}$$

Reference Well
Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-7-42Well Number WCC-55 Well Depth 910 Well Diameter 4' Casing Material PVCSampling Crew MLWType of Pump 4" Submersible Sampler SS basterWeather Conditions Rain

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (us)	Clarity
1411			5			22	7.47	1570	Silty
1414			10			22	7.82	1570	"
1418			15			23	7.96	1580	Clear
1421			20			22	7.97	1580	"
1424			25			22	7.90	1570	"
1427			35			22	7.91	1570	"
1430			46			22	7.87	1580	"

Air Monitor < [

$$3 \text{ Well Volumes} = 46 \text{ gal} \quad (90 - 67.36) \times 0.65 \times 3 = 4 \text{ gal.}$$

Reference Well Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name

DAC

Date 12-7-92

Well Number MW-10 Well Depth 140 Well Diameter 9" Casing Material PVC

Sampling Crew MLW, , , ,

Type of Pump 4' Submersible Sampler SS isolater

Weather Conditions Rain

<u>Time</u>	<u>Water Level</u>	<u>Pump</u>	<u>Volume Pumped (gal)</u>	<u>Pumping Rate (gpm)</u>	<u>Sample Collection</u>	<u>Temp (°C)</u>	<u>pH</u>	<u>Cond (µS)</u>	<u>Clarity</u>
1525	71.19	-	5	-	-	20	8.49	750	clear
1527	70.18	-	15	-	-	22	8.34	710	"
1529	-	-	25	-	-	22	8.31	720	"
1531	-	-	35	-	-	22	8.30	720	"
1533	-	-	45	-	-	22	8.29	710	"
1535	-	-	60	-	-	22	8.28	720	"
1536	-	-	75	-	-	22	8.30	680	"
1541	-	-	90	-	-	22	8.28	700	"
1543	-	-	115	-	-	22	8.28	680	"
1546	-	-	137	-	-	22	8.24	680	"
					AIR Mem, br - <1				

$$\text{3 Well Volumes} = \underline{\underline{136 \text{ gal}}} \quad (140 - 70.18) \times 0.65 \times 3 = 136 \text{ gal}$$

Reference Well
Volumes

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12/7/92Well Number WCC-95 Well Depth 90 Well Diameter 4" Casing Material PVCSampling Crew MLW, _____, _____, _____Type of Pump 4" Submersible Sampler SS bailedWeather Conditions Rain

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (uS)	Clarity
1634	66.56		5			19	8.20	1380	clear
1636			10			21	7.94	1230	"
1637			15			21	8.02	1180	"
1639			25			21	8.06	1190	"
1641			35			21	8.05	1180	"
1644			46			21	8.05	1180	"

end TESTAIR Nowhere <|

$$3 \text{ Well Volumes} = 40 \text{ gal.} \quad (90 - 66.56) \times 0.65 \times 3 = 46 \text{ gal.}$$

Reference Well Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 17/8/92Well Number WMC-35 Well Depth 90.5 Well Diameter 4" Casing Material PVCSampling Crew MUNType of Pump 4" Submersible Sampler SS holderWeather Conditions Clear

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (uS)	Clarity
745	70.15	2	2			19	8.55	1310	silty
747		-	5			21	8.29	1300	"
750		-	10			20	8.17	1320	"
753		-	15			22	8.18	1300	"
759		-	25			23	8.17	1290	clear
802		-	30			23	8.15	1270	"
804		-	40			22	8.11	1260	"
end	70.31								

Air Monitoring = <1

$$3 \text{ Well Volumes} = 39 \text{ gal} \quad (90.5 - 70.15)(0.65)(3) = 39.7 \text{ gal}$$

Reference Well Volumes
2" well = 0.16 gal/ft
4" well = 0.65 gal/ft
6" well = 1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-8-92

Well Number WCC-105 Well Depth 90 Well Diameter 4" Casing Material PVC

Sampling Crew MLW, _____, _____, _____, _____.

Type of Pump 4" Submersible Sampler SS basket trailer

Weather Conditions Clear

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (µS)	Clarity
905	70.62		5			8.07	19	880	Clear
907			10			8.07	22	840	"
909			20			8.07	22	840	"
911			30			8.01	22	840	"
913			35			7.47	22	830	"
916			39			7.47	22	840	"
end	70.73				Air Monitor = 5				

$$3 \text{ Well Volumes} = 38 \text{ gal} \quad (90 - 70.62)(0.65)(3) = 37.8 \text{ gal}$$

Reference Well
Volumes

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-8-92

Well Number WCC-115 Well Depth 90' Well Diameter 4" Casting Material PVC

Sampling Crew MLW, _____, _____, _____, _____

Type of Pump 4 " Schmersle Sampler ss. bauler

Weather Conditions Clear

Time	Water Level	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (µS)	Clarity
1005	68.77	1			20	8.09	1320	silky
1010		5			21	7.89	1370	"
1009		10			21	7.92	1380	"
1012		15			21	7.86	1340	"
1015		20			22	7.95	1390	"
1019		25			22	7.93	1330	"
1022		30			22	8.01	1300	"
1025		35			22	7.96	1310	"
1029		42			22	7.96	1300	"
End	69.19			Air = <1				

$$3 \text{ Well Volumes} = 42 \text{ gal} \quad (90 - 68.72)(0.65)(3) = 41.5 \text{ gal.}$$

Reference Well
Volumes

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-8-92
 Well Number WCC-125 Well Depth 90 Well Diameter 4" Casing Material PVC
 Sampling Crew MLW,
 Type of Pump 4" Submersible Sampler SS bailer
 Weather Conditions Clear

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (µS)	Clarity
1200	67.08		1			24	8.39	30	black silt
1202			5			22	8.21	1140	silty
1204			15			22	8.14	1040	"
1206			25			22	8.14	1010	"
1207			30			22	8.08	1010	"
1208			35			22	8.08	1000	clear
1210			45			22	8.05	100	"
end	67.19								

$$\text{Clir} = \frac{V}{A}$$

$$3 \text{ Well Volumes} = 45 \text{ gal.} \quad (90 - 67.08)(0.65)(3) = 44.7 \text{ gal.}$$

Reference Well Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-8-92-Well Number WCC-75 Well Depth 90 Well Diameter 4" Casing Material PVCSampling Crew MHUType of Pump 6" Submersible Sampler SS GarterWeather Conditions Clear

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (µS)	Clarity
1247	68.45		1			22	8.26	950	sl. cloudy
1248			5			22	8.00	950	"
1250			10			22	8.04	870	clear
1252			15			22	8.03	830	"
1254			20			22	8.03	830	"
1256			25			22	7.97	810	"
1258			30			22	7.98	820	"
1303			45			22	8.02	820	"
end	68.75								

$$Q_{ir} = 41$$

$$3 \text{ Well Volumes} = 12 \text{ gal.} \quad (90 - 68.45)(0.65)(3) = 42 \text{ gal}$$

Reference Well Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC

Date 7-12-8-42

Well Number WCS Well Depth 905 Well Diameter 4" Casing Material API

Sampling Crew MLW

Type of Pump 4" Submersible Sampler SS hauler

Weather Conditions Clear

<u>Time</u>	<u>Water Level</u>	<u>Pump</u>	<u>Volume Pumped (gal)</u>	<u>Pumping Rate (gpm)</u>	<u>Sample Collection</u>	<u>Temp (°C)</u>	<u>pH</u>	<u>Cand (uS)</u>	<u>Clarity</u>
1339	69.11	—	1	—	—	23	8.13	1300	Clear
1341	—	—	5	—	—	23	8.02	1280	"
1343	—	—	10	—	—	23	7.85	1290	"
1345	—	—	20	—	—	23	7.94	1220	"
1347	—	—	30	—	—	23	7.92	1200	"
1350	—	—	40	—	—	23	7.44	1160	"
1352	—	—	45	—	—	23	7.88	1150	"
PWL	69.45	—	—	—	Av-4	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—
3 Well Volumes =	42 gal	(90.5 - 69.11)(0.65)(3) = 41.7 gal.							

$$3 \text{ Well Volumes} = \frac{42 \text{ gal}}{(90.5 - 69.11)(0.65)(3)} = 41.7 \text{ gal.}$$

Reference Well
Volumes
2° well=0.16 gal/ft
4° well=0.65 gal/ft
6° well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-8-92Well Number WMS 83 Well Depth 84 ft Well Diameter 4" Casing Material FVCSampling Crew MLWType of Pump A Submersible Sampler SS 6 GalWeather Conditions Clear

Time	Water Level	Pump	Volume Pumped (gal)	Pumping Rate (gpm)	Sample Collection	Temp (°C)	pH	Cond (µS)	Clarity
1435	69.83		1			21	7.8	1480	clear
1437			5			21	7.77	1490	"
1439			10			22	7.76	1470	"
1441			15			22	7.77	1440	"
1443			20			22	7.83	1370	"
1446			25			22	7.79	1340	"
1452			35			22	7.88	1270	"
1454			40			22	7.87	1270	"

Air

3 Well Volumes = 38 gal. $(89.5 - 69.83)(0.65)(3) = 38.4 \text{ gal.}$

Reference Well Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC

Date 12-9-92

Well Number UCC/65 Well Depth 90' Well Diameter 4' Casing Material PVC

Sampling Crew MLW, , , ,

Type of Pump 4" Submersible Sampler SS baster

Weather Conditions Clear

$$3 \text{ Well Volumes} = \underline{\underline{38 \text{ gal}}} - (91 - 70.68)(0.65)(3) = \underline{\underline{34.6 \text{ gal}}}$$

Reference Well
Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-9-92

Well Number WCC/S Well Depth 88.5 Well Diameter 2" Casting Material PVC

Sampling Crew MEN, _____, _____, _____,

Type of Pump Submersible Sampler SS Grader

Weather Conditions Clear

$$3 \text{ Well Volumes} = 8.8 \text{ gal} - (88.5 - 70.46)(0.16)(3) = 8.7 \text{ gal}$$

**Reference Well
Volumes**

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-9-92

Well Number WCS Well Depth 89 Well Diameter 4" Casing Material PVC

Sampling Crew MILW, _____, _____, _____, _____

Type of Pump Schmersible Sampler SS buster

Weather Conditions Clear

$$3 \text{ Well Volumes} = 3(6 \text{ gal}) - (89 - 70.96)(0.65)(3) = 35.2 \text{ gal}$$

Reference Well
Volumes
2" well=0.16 gal/ft
4" well=0.65 gal/ft
6" well=1.5 gal/ft

GROUNDWATER SAMPLING RECORD

Facility Name DAC Date 12-9-92

Well Number Dac-PI Well Depth 90' Well Diameter 4" Casing Material PVC

Sampling Crew MLW, _____, _____, _____, _____

Type of Pump Sigmerside Sampler SS baltor

Weather Conditions Clear

<u>Time</u>	<u>Water Level</u>	<u>Pump</u>	<u>Volume Pumped</u> <u>(gal)</u>	<u>Pumping Rate</u> <u>(gpm)</u>	<u>Sample Collection</u>	<u>Temp</u> <u>(°C)</u>	<u>pH</u>	<u>Cond</u> <u>(µS)</u>	<u>Clarity</u>
1153	70.47	—	—	2	—	24	8.23	1560	silty, sediment laden
1154	—	—	—	5	—	22	8.17	1550	"
1156	—	—	—	10	—	22	8.08	1570	"
1159	—	—	—	15	—	22	8.20	1420	"
1201	—	—	—	20	—	22	8.21	1480	"
1205	—	—	—	25	—	22	8.18	1420	Clear "
1208	—	—	—	30	—	22	8.20	1410	"
1214	—	—	—	40	—	22	8.20	1430	"

$$3 \text{ Well Volumes} = 38 \text{ gal} - (90 - 70.47)(0.65)(3) = 38.1 \text{ gal.}$$

Reference Well
Volumes

APPENDIX C

CHAIN-OF-CUSTODY RECORDS

CHAIN OF CUSTODY RECORD

Client Name:	Kennedy / Jenks Consultants 17310 Rad Hill Ave #220 Irvine, CA 9274	Phone No.	(714)261-1577
		Fax No.	
		Proj. No.	924010.00
Technical Contract:	Joe Montoya	Proj. Name	DAC

WEST COAST ANALYTICAL SERVICE, Inc.

9840 Alburstis Avenue
Santa Fe Springs, CA 90670
Phone: 213/948-2225 FAX: 213/948-5850
(310) (310)
JOB NO. # 22963

Sample No.	Sample Description/Remarks	Analyses Requested									
		82290	624								
✓ WCC-3D-3	2 40ml vials, water	X									
✓ WCC-5D-3	" " "	X									
✓ WCC-1D-3	" " "	X									
✓ WCC-9S-3	" " "	X									
✓ WCC-2S-3	" " "	X									
✓ WCC-70S-3	" " "	X									
✓ WCC-11S-3	" " "	X									
✓ FB120792	" " "	X									
✓ FB12892	" " "	X									
✓ TBDAC12792	" " "	X									
✓ DW12792	2 " "	X									

Date Sampled 12/07/92 + 12/08/92 Conditions of Samples

* Kept (2) Samples WCC-3D-1 instead of WCC-3D-3. DE Total No. of Containers ...

20

Relinquished by: (Company & Signature)	Received for Lab by:	Date / Time
Mark Naldon - K/J/C (310)	Jeff - DE Northrop WCAS	12/8/92 1600
		12/8/92 5:15

White Copy: Job Envelope

Yellow Copy: Return with Lab Results

Pink Copy: Client at time of sample delivery

CHAIN OF CUSTODY RECORD

Client Name: Kennedy Jenkins Consultants Phone No. (714) 261-1577
17310 Rethill Ave #220 Fax No. _____
Irvine, CA 92714 Proj. No. 924010.00
Technical Contract: Joe Muntonca Proj. Name DAC

WEST COAST ANALYTICAL SERVICE, Inc.

9840 Alburtis Avenue

Santa Fe Springs, CA 90670

Phone: 213/948-2225 FAX: 213/948-5850

JOB NO. (310) #22963 (310)

JOB NO. 22963

THE NEW

Date Sampled 12/08/92

Conditions of Samples

Total No. of Containers . . .	ID	
Relinquished by: (Company & Signature)	Received for Lab by:	Date / Time
Milk 21 Water - 153/c.	Jeff - D. Washington	12/8/92; 1600
		12/8/92 5:15

White Copy: Job Envelope

Yellow Copy: Return with Lab Results

Pink Copy: Client at time of sample delivery

CHAIN OF CUSTODY RECORD

Client Name: Kennedy / Jenks Consultants Phone No. (714) 261-1577
17310 Red Hill Ave #220 Fax No. _____
Irvine, CA 92714 Proj. No. 924010.00
Technical Contract: Joe Montoya Proj. Name DAC

WEST COAST ANALYTICAL SERVICE, Inc.
9840 Alburstis Avenue
Santa Fe Springs, CA 90670
Phone: 213/948-2225 FAX: 213/948-5850
(310) (310)
JOB NO. # 229.75

Date Sampled 12-09-92 (210) Conditions of Samples D - good

		Total No. of Containers . . .	Twelve
Relinquished by: (Company & Signature)	Received for Lab by:	Date / Time	
Mark Watson - KJ/c	Soren + RABBIT #579 d. Washington NCAS	1155/12-10-92	
		12:40	12-10-92

White Copy: Job Envelope **Yellow Copy: Return with Lab Results** **Pink Copy: Client at time of sample delivery**